

AMT 22

Motor : Mitsubishi
Alternatör : Stamford
Kontrol Sistemi : P 602



ISO8528

6i 'YbYfUht f [fi Vi '-GC,) & 'm bYra Y'L' UfhUfibi' _Uf i'UntUWU_gYj]nYXY 'hUgUFUba i' hf"

SZUTEST

6i 'YbYfUht f [fi Vi '-GC - \$\$\$gYfhZ_U" nY" _Yf]bY [" fY 'hUgUFUba i' j Y" fY]a] hf"



6i 'YbYfUht f [fi Vi '79'gYfhZ_U' UfhUfibiU'i m] i bXi f

2000/14/EC

GYG'mUihA '_UV]b(' [fi d'UfZ&\$\$\$#/(#97 '5j fi dU[' f' h' m bYra Y']bY [" fY 'hYghYX]]f"

u]_j ; 'WZ' !: Uniz) \$<nz; : '\$z

Voltaj	Standby Güç (ESP)		Prime Güç (PRP)		
	kVA	kW	kVA	kW	Amp
400/230	22,00	17,60	20,00	16,00	28,00

Standby Güç (ESP): ; 'jYb]f' YVY_Y' _UnbU 'ibib'_Yg]a Yg]Xi fi a i bXUZXY] _YbYY_hf]_m'_Y[' , fYa]b_Yra YXY'_i 'Ubrif''9GDz-GC,) & 'Yi ma i' Xi f''5 ifi m'_Ya YnY']n]b] Yf]a Ya] hf"

Prime Güç (PRP): 8Y] _YbYY_hf]_m'_Yz[' , fYa]b_Yra YXYzm'_gibifgin', U'i a U gUUh]]_b'_j 'Ubrif''DF DZ-GC ;) & 'Yi ma i' Xi f''-GC' \$(* mU[" fY '%&gUUh, U'i a U'dYf]ncXi bXU%gUUh%\$& ' U' ifi m'_Ya Y]]_b'_j 'Ubrif''

GH5B85FH'x N9@@?@9F

Gi 'gc i' ha U'iX]nY''a ctef
FUXntUht f] Y'a Y'_Ub'_ZUb
8" bYb]j Y'giVW'_dUF, UUFU'Xc'_j ba Um'' b'YnYb'_cfi m' W'_UZyg
9'Y_hf]_]a Uf 'a ctefi 'j Y' Uf'U'fYfbUht f'
5'_f]_f i b'Ug]h]z'_UV'c'Ufi]j Y'gY\ dUg]
A ctef V'c'_gi m' 'igihVgi
uY'_UgY'j Y'hfY 'ja " b'YnY]YfU'_cn'Uf' UgYnY YbY [fY nU'_ihU'b'_j
9gbY'_nU'_ihVU 'Ubh'cfh' a 'ufi
HY'_nU'_iz] Y < nU'ihA 'gibiZi' U'fYfbUht f'
9bX' gh]nY' _UdUg]fYXY'gi gh' fi W'j Y'YgbY'_Y'_]_ca dYbgUht f'
9'Y_hfcb'_U'_ 'Uf'V\Uht
?i 'Uba U'j Y'a cblU'_j U'j i ni

>9B9F 5Hx F '8CB5B-A 'G9u9B9?@9F

MOTOR

! 'i nU'_fUXntUht f' 'gc i' ha U

YARDIMCI DONATILAR

! 'Ctca U]_j YnU'a Ubi Y' nU'_ihXci a 'g]hYa]
! 'MU 'Vc' U'ha UzY'dca dUg]
- Egzoz susturucusu, meskûn mahal tip
- Römorklar
! '5'YhtU'_ja i' fVU'_ja]]_b'_j
! '5b' MU'_ihHUb'_j

ALTERNATÖR

! 'u'_j ' U'fYf]

KONTROL PANOSU

! ' Uf'Ua dYfa YfYg]

TRANSFER PANOSU

- Üç veya dört kutuplu transfer sistemi
! 'y, j YnU'X' fh'_j h' d'ia ctefi ; 'j ' U'fYf]

AMT 22

Motor : Mitsubishi
Alternatör : Stamford
Kontrol Sistemi : P 602

8 N9@A C H C F 'x N9@@? @9F

Üretici		Mitsubishi
Model		S4Q2
G]jbX]fj Y' HUgUfia		('G]jbX]fj'žGifU'i'H]d
Hava Emme		8c U'9a]]
Maksimum Standby Güç		1500 d/dk
		22,40 kW [30,00HP]
Toplam Silindir Hacmi	L	2,505
Çap ve Strok	mm	88 x 103
Gİ_î hİfa U'C fUbi		22:1
Norminal Devir	d/dk	1500
Governör Tipi		Mekanik
MU ' ? UdUg]Yg]	L	6,50
Su Kapasitesi	L	11,81
Elektrik Sistemi		12 V d.c.
MU_îhH' _Yİfa]	Yük	%100
	L/sa	6,30

5@H9F B5Hx F 'x N9@@? @9F

Üretici		Stamford
Modeli		PI 144D
Frekans	Hz	50
Güç	kVA	20,00
HUgUfia		: if, Uginž(' _i h' d'i
Cos fi		0,80
: Un'GUmgı		3
Voltaj	V	400/230
5_İa	A	28,00
MU'İha 'Gibiž		H
Stator		&#' 'UXia
Rotor		HY_'MUHU_İ'9gbY_'8]g_]
_Un'G]g]Ya]		Elektronik (AVR)

6CM H'j Y'5 ₺ @?

5, İ_ ; fi d	?i fi '5 ifi_	Boy	En	Yükseklik	MU_İh8Ydc ? UdUg]Yg]
	kg.	mm.	mm.	mm.	L
AMT 22	470,00	1380,00	850,00	1000,00	50,00
Kabinli Grup	?i fi '5 ifi_	Boy	En	Yükseklik	MU_İh8Ydc ? UdUg]Yg]
	kg.	mm.	mm.	mm.	L
AK 10	650	1850	860	1060	50

AMT 22

Motor : Mitsubishi
Alternatör : Stamford
Kontrol Sistemi : P 602

1 P 602 - Kontrol Sistemi



- 1 ; YbYXi fi a j Y" , a Y V][]Yf][" ghYf[Y Y_fUbi"
- 2 9_fUb V][]Yf][]YfYfa Y Vi hcbi "
- 3 GUnZU Vi hcbi "
- 4 C fU_U'Ufa i[" ghYf[Yg]"
- 5 8i fi a '@98 fYf]"
- 6 uU'i a U' Y_]gY, a Y Vi hcb'Ufi"

2 Cihazlar

8G9za cXY**\$&\$'chca UH_ YVY_Y UfinU'nYa Y j Y'YbYfUf f_cbfca' a cX'"
9_Y_fcb]_U_' UF'V\Uni;]f] '%, !&* (j c'hZu'i_i '&+* j) '5'f&(j k j YntU'% ž ' j c'h) 5'f&U k
5WY'Xi fXi fa U Vi hcbi ' j Y_cbfca' XYj fY'Yf]], b'g][cffU'Uf"

3 Müdi'j Y'6cnu

7\Un'Uf, Y_L'gUWU'ja U'YX]a] ' dUbc_'UV]b]Y'a cbfU'^ntüdi'if"DUbc'gUWZc'gZU'h_ ja ntUgU'i']Y'_Ud'UbfU_'gUW
m' nYm]'_cfcnc'buX]fYb,]'\UY'[Yhf]f]" Dc'mYghYfV]Y]_ hcn'VcnU'j Y Zfib'Ua U] 'Ya]]Y'dUbc_'UV]b]Y'gcb'XYfYW
XUnübi_'i'VcnU'ntüdi'if?]h]] Y'a YbY' Y] dUbc_'UdU 'i']Y'V\Un'UfU'i 'U' a U_'c'UnXif"

4 Montaj

? cbfca' dUbcgi ž YbYfUf f[fi Vi ' Ug]g]' nYf]bXY_] , Y_L'UnU_'Uf]Y VU 'Uba i' hif"DUbcž'YbYfUf f[fi Vi bi b'gU 'ntü
kUfUZbU'f[fi VU'U'YfbU'cf'kUfUZbXUb-VU_ibVW'knYfY hf]a] hf"

5 Jeneratör Kontrol Ünitesi

&\$\$_j 5'XU\] j Y_' , ' _[, XY_] YbYfUf f[fi d'Ufia inXU'8G9'*\$&\$'_cbfca' a cX'" 'ghU'buXU'fXif"A cX' ž[Unj Y'X]nY'
a chcfi 'YbYfUf f[fi d'Ufib'chca UH_'c'UfU_ , U'i hifa Ugi'j Y'Xi fxi fi 'a Ugibi'[Yf, Y_Y hf]f"A cX' ž'YbYfUf f' b
ZY_Ubgjž] c'kU'žU_ ja iža chcf'ntü 'VUgibVžgc i ha U'gi m' 'giVW_'i iz, U'i a U'gU'U'žU_' j c'kU'fbi'n'YnYVW_] Y '@8
Y_fUbXU[" ghYfYVW_' Y_]XY'kUgU'fUba i' hif"5m'fVW'a cX'" YVY_Y'j c'kU'fbi'j Y ZY_Ubgibi'n'Yfj Y'mXY_'YbYfUf f
[fi Vi]Y'cbU'VU 'i[, hfUbgZY'f'g]ghYa]b]_cbfca' YXYf'>YbYfUf fXY UfinU'a YnXU'bu' [Y'X]]bXY'chca UH_'c'UfU_'
YbYfUf f'Xi fxi fi 'i'fj Y]] UfinU'a cX'" b" b'dUby']bXY '@8 Y_fUbXU[" ghYf]f"

Standart Özellikler

- A]_fc] 'Ya WY]Y'_cbfca'"
- @78 Y_fUbXUbžV][]Yf]_c'Umc_i a U"
- (! gifUž*(' % &[fUZ_ Y_fUb"
- YVY_Y'j Y'YbYfUf f[, Yf]U'fUgibXU'fU'Zyf'_cbfca'"
- x b'dUby' nYf]bXYb'a Ub' Y'dfc[fUa 'Ua U"
- 6i hcb'Ufib'nYfY]a]j Y] 'Yfa Y'g]ghYa]_c'Umf
- x b'dUby'XYb'dfc[fUa 'Ua U"
- I nU_fUb; U'i hifa U"
- <UZnUnU_'Umih'i) 'U'Ufa i[" fYV]a Y"
- ? cbfca' h' Ufi. G'hd#GizfZA Ub' Y'žC'ca UH_žHYgrž'G'Ufž'Vi hcb'Ufi'"@78 Y_fUb V][]g]b]]YfYfa Y'hi i "

AMT 22

Motor : Mitsubishi
Alternatör : Stamford
Kontrol Sistemi : P 602

Ölçme Göstergeleri

A C H C F
A c h c f X Y j f j
M U V U g i b W
G i g i V U i i
u U i a U g U U j
5 j c h U
5 n U f U b U V j f n U a U b U a U
>9B9F 5Hx F
J c h U f @ @ B L
5 j a U f f @ @ @ L
: f Y U b g
969?9
J c h U > f @ @ B L
: f Y U b g
Y V Y Y < U n i f
Y V Y Y 8 Y j f Y X Y
>Y b Y f U h f < U n i f
>Y b Y f U h f 8 Y j f Y X Y

Koruma Devreleri

? 5 N
U f U Y f b U h f U f i n U g i
8 M g Y U j c h U
G h c d U f i n U g i
8 M g Y Y b Y f U h f j c h U
8 M g Y Y b Y f U h f Z Y U b g i
8 M g Y a c h c f i n i
8 n U V U g i b W
M g Y g i g i V U i i
8 I F 8 I F A 5 5 @ 5 F A @ 5 F =
G h U f i U f i n U g i
5 W g h c d
8 n U V U g i b W
M g Y g i g i V U i i
8 M g Y a c h c f i n i
8 M g Y Y b Y f U h f Z Y U b g i
8 M g Y Y b Y f U h f j c h U
M U V U g i b a j f V U U b h g i n e
< U f U Y h a j f V U U b h g i n e
9 @ 9 ? H F G 9 @ 5 u A 5
> Y b Y f U h f U i f i U j a

Opsiyon Özellikleri

< U f W j g Y b g f j Y V U g i b , z j i V U i i z m n X Y g Y c b f c
j a U b i f i n U f i z U d U h a U j Y Y Y f j g Y U f i n U l
D 7 f X Y b I G 6 U V c j Y a c X b c U c U f U
d f c f U a U b a U g i j Y j n Y b Y V j a Y g j f a U g a Y h Y l

Standartlar

9 Y Y h f j g Y ; j Y b j # 9 A 7 i m i b i ' 6 G ' 9 B * \$ -) \$
9 Y h f j j V U n U f i
6 G ' 9 B * \$ \$ \$! * ! & 9 A 7 a i U z n Y h g h U b X U f i
6 G ' 9 B * \$ \$ \$! * ! (' 9 A 7 Y a j g n e b g h U b X U f i

9 Y h f c b j 5 U f 7 j U n i

5 U f V U n i g k j W X j b j ! a c X Y j Y G A 8 h Y b c c j g j Y f Y h a j X j f j Y m g Y j Y f j a Y g U j d h j 5 j z j ! = U f U h Y f j g h
Y f j g j b Y [" f Y U f X j f ") U a d Y f z % z j c h f W & j Y + z j c h f & (j k " ; j f % , ! * (j c h 5 7 " 7 j U n i , i j i i g U X Y j f Y n Y
_ U f i c f i b a i h f D f c j b Y % & \$) # & (\$) U f V U n i z j b Y Y f U f V U n U f i b U [" f Y X U U j Y f j a j z i n i b " a f z U f i n U c f U b i X U U
X z \ U z j Y i g i n U n a U g i , c X h f U f U f i n U g i , i j i a Y V U h i f " F : = z h f Y j Y a U b n Y h d U f U n j h Y f j V U g h f a U " n Y " j
; U j U b j n c Y j j j Y ; i j U f i (j f U X U f U h U a U U f U X U n U b i i X i f

AMT 22

Motor : Mitsubishi
Alternatör : Stamford
Kontrol Sistemi : P 602

AK 10 - Kabin



- 1 uY_L'gUVUÖb'ntÜdi
- 2 Acil durdurma butonu
- 3 ? cblfc'dUbcgî 'gU 'HUFUZU' UgYnY'a cbU'YXif
- 4 ? cfcncnbU'XUUnÜbî'_i_]h] Y'a YbY' Y'Yf
- 5 MU 'Vc U'ha U'Uhi'a cfcf'' nYf]bXY' j UbU'jY
- 6 GYG'nÜihia 'a UnYa Y'Yf]
- 7 8Ydc! UgY

y f' b' < U_ ibXU

GYG'MÜihia 'ij Y' ? cfi mi W' ? UV]b'Yf'5_gU'YbYFUh' f' [fi d'Ufi'], Jb'U_i' gfi'_a 'YbX]gYf]' HUFUZbXUbž'ncf'U'j U'j Y', Yj fY UfhUfibU'i m' i b' [Y'] Hf]'Yb'gYg'nÜihia 'iz_cfi a U'UV]b'Yf]/XYU'gYg'gY] jnYg]j Y_cfi a U'gU 'UnÜW'_' Y_'XY'HUGUFUbi'UF' 5_gU'UV]b'Yf]ž'dUf, U'dUf, U'g'_'YV]]fa cX'YfmÜdiXUZ' [fi VU'_c'Umgyfj]g] Y VU'_ia 'ntUdUV]a Y j Y', U'i h' 'imYfXY'dUf, U XY '] ja]bY'c'UbU_gU 'Uf'5nbi'nÜa UbXU'YbYFUh' f' [fi Vi bi b'], Yj fY'giW'_'i bU' [' fY'gc' i ha U'dYfZcfa Ubgi'j Y' [' , '] XY Yf]bXY'Yf'U'Ub [']gY] jnY'X' ' ' ' ' a YnXUbU'[YHfa YnYW_' nÜdiXU'c'a UgiU'X'U'UhYX]YfY'_UV]b'Yf'X]nÜmb'YX]a] X]f' ? UV]b'Yf]b'], Yj fY'giW'_'i j Y'gYg'gY] jnYg]i m' i b' i], Jb'dfchUhd'HYghYf]'ntÜdi'Xi_HUb'gcbfU' fY]a]ntÜdi'a i hif

Standart Özellikler

8' ' _dfcz']j Y'_Ud'Ua U'U'Üb'i'Unž'f]ca dU'_H'UgUfia
? UV]bž'YbYFUh' f' gYHžY [ncn'g]ghYa] j Y'ntÜ'ihXYd'cgi ž' Ug]'Y'_dU'Yhc'UfU'_gY]_'YX]YW'_' Y_'XYžV]fV]f]b]V' h' b'YnYW'_' j Y'_c'Uma cbU'], Jb' [Y'] Hf]'a] Hf'
? ja nÜgU'HYa]nYa Y'] 'Ya]bXYb' [Y,]f]Ybž'_UV]b'], Y'_L'gUWdUf, U'Ufiž'dc'nYgHYf'hc'n'VcnÜmU'_Ud'Ubif'j Y' ž'f'ib'Übif 5'Yj "' b'Ym]YnÜihia 'g' b [Yf] GYfj]g'bc'_H'UfibU'_c'UmYf]]a ? UV]b'], Yf]g]bXY'Y [ncn'g]ghYa] j Y'igi'nÜihia 'i '_HUFUZU' [Yb] ' _Udi'UF ?]h]_' _Udi'' nYf]bXY' YZUZdYbW'fYXYb'_'cblfc'dUbcgî bi]n'YnYV]a Y ? UV]b]b'Xi' i'ibU'a cbU'Y'UVY'gh'cd'Vi h'cbi Gc' i ha U'ZÜbi'j Y' Uf'U'HYfbU'hi' f' 'Xc'_i ba UnÜ'_Uf' i'_cfi ba i' h'if ?]hYbYb'_Udi']Y'ntÜ'ihXc'ia i j Y'U'_'mY'Yf]]a Ug]j Y'_UV]b'' nYf]bXY'_U'Xifa U'bc'_H'U'fi GYG'nÜihia 'UV]b'] [fi d'Ufi' b' gYg'HYgh] &\$\$\$#(/#7 m'Y' i n'f' i b' c' UfU'_ Gni HYghUfUZbXUb'XYbYhYba Y'_HYX]f'

En	mm.	860
Boy	mm.	1850
Yükseklik	mm.	1060
MU_ihHUb_'? UdUg]HYg]	L	50